



Inclusive energy^{LTD.}

Oilfield Equipment Services

MONTHLY INVENTORY UPDATE
RENT TO OWN AND IN-HOUSE FINANCING AVAILABLE



CUSTOM SOLUTIONS | FLEXIBLE FINANCING | TOP QUALITY & SERVICE



Bankers Hall, West Tower Building
1000, 888 3rd Street SW
Calgary, AB T2P 5C5

RENT TO OWN AND IN-HOUSE FINANCING AVAILABLE.

Calgary Head Office
403.444.6897

Central Alberta
780.712.8881

Inclusivenergy.com
sales@inclusivenergy.com



Inclusive^{energy}^{LTD.}

Oilfield Equipment Services

Inclusive Energy Ltd. is your one stop equipment shop. Availability of products offers clients the convenience of last minute orders and long term contracts. In most cases we can provide trucking to get the equipment to the requested site and back.

Please add us to your RFQ distribution for all of your oilfield equipment rental and purchase requirements.

The team at **Inclusive Energy** delivers, supplies, and markets the following:

- ›Storage tanks (400-1000 BBL frac lined, acid lined and double wall tanks)
- ›Manifolds
- ›Rig matting
- ›Fluid manifold
- ›Transfer pump manifold combination
- ›Portable containment systems
- ›Flowback tanks
- ›Pumpjack

At Inclusive Energy, we strive to serve our clients better; if you see or need any products and services not mentioned on this list or our website, please contact us and we will attempt to accommodate your needs.



2000, 1000 & 750 BBL Tanks

Inclusive Energy carries both brand new and used 1000 bbl production and frac tanks with both rental and purchase options. Our tanks are manufactured to exceed industry standards and are designed in accordance with API 12F and 650 design specifications, including dimensions and internal and external pressures. All of our tanks are externally insulated. 100% internally coated models are also available.

Dimensions: 15'3" D X 32' H

Design Code: Modified API 12F design

Operating Pressure: Atmosphere


Service: Oil, water, gas (both sour and sweet)

Corrosion Allowance: None

Testing: Air tested as per API 12F code

Insulation: 38mm (1 1/2") urethane foam, sealed with 15mils DFT black elastomeric sealer

We carry both insulated and non-insulated tanks. Storage tanks are built for the option to be insulated or EnviroVaulted upon customer request.



TYPE	QTY	DESCRIPTION	CONDITION	DELIVERY
2000 BBL	8	HEAVY OIL BATTERY TANK FARM (2000+BBL API 650 Storage tanks)	New	In Stock
2000 BBL	4	2000 BBL Painted complete with 24" Firetubes API 650 Storage tanks	New	In Stock
2000 BBL	6	New 2000 BBL Insulated Internally coated with Devoe 253.	New	In Stock
1000 BBL	35	Single Wall Frac Storage Insulated Heated Tanks	New	In Stock
1000 BBL	45	Production Storage tanks Insulated Firetubes c/w Envirovault	New	In Stock
1000 BBL	20	Lightly used Single wall, insulated frac tanks, internal coating option available	New / Used	In Stock
1000 BBL	6	Production Storage tanks Insulated Firetubes, Envirovault Complete With Full internaly Coated c/w Devoe 253	New	In Stock
750 BBL	15	Production/sales tanks. Insulated with c/w Envirovaults, complete with fire tubes	New	In Stock
750 BBL	20	Plain insulated Storage tanks	New	In Stock
750 BBL	10	Lightly used Production/sales tanks. Insulated with c/w Envirovaults.	Used	In Stock



400 BBL Tanks

Features:

- > Acid lined
- > Double wall tanks
- > Storage tanks are sloped or flat bottoms with steam coils
- > Thief hatch
- > Ladders with fall arrest system (CSA Approved)
- > Tanks include an external gauge system to display current fluid levels
- > Volume: 400BBL/63m³
- > Butterfly valves nozzle
- > Manways in the roof for easier clean outs
- > Storage tanks are built for the option to be insulated

Storage tanks are built for the option to be insulated or EnviroVaulted upon customer request. All standard tanks are built to API 12F Specifications. *We carry both insulated and non-insulated tanks. Storage tanks are built for the option to be insulated or EnviroVaulted upon customer request.*

TYPE	QTY	DESCRIPTION	CONDITION	DELIVERY
400 BBL	600	Flat and sloped bottom rental style tanks. Huge inventory. coated tanks	Used	Immediately
400 BBL	10	Heated envirovault and insulated Devoe 253 coated tanks	New	Immediately
400 BBL	65	Sloped bottom frac tanks, internally coated, steam coils	New/Used	Immediately
400 BBL	8	Single wall, flat bottom production tanks, insulated, internally coated, steam coils	New	Immediately
400 BBL	4	Double wall, flat bottom, heated, coated	New	Immediately
400 BBL	100	Reconditioned, sloped bottom, insulated tanks	New	Immediately



Bankers Hall, West Tower Building
1000, 888 3rd Street SW
Calgary, AB T2P 5C5

RENT TO OWN AND IN-HOUSE FINANCING AVAILABLE.

Calgary Head Office
403.444.6897

Central Alberta
780.712.8881

Inclusivenergy.com
sales@inclusivenergy.com

200 & 100 BBL Tanks

Inclusive Energy carries both single wall and double wall 100 BBL and 200 BBL Tanks for application in sweet and sour projects, with both rental and purchase options.

Optional Features:

- > Ladder with cage
- > Tank lining Devoe, Enviroline
- > Heavy duty L-skid
- > Bottom skid
- > Sour service thief Hatch & gaskets
- > Sealed sour service gauge board
- > Urethane or aluminum clad insulation
- > Fire tubes, immersion heaters or steam coils
- > Butterfly valves & plugs

We carry both insulated and non-insulated tanks.
 Custom dimensions and/or nozzle configurations available.
 Storage tanks are built for the option to be insulated or EnviroVaulted upon customer request.




TYPE	QTY	DESCRIPTION	CONDITION	DELIVERY
200 BBL	10	Double walled, skidded, insulated	Reconditioned	Immediately
100 BBL	18	Single wall sweet service, bottom skid white paint	New	Immediately
100 BBL	10	Double walled/single walled, heated tank	New	Immediately
100 BBL	2	Pop tanks, insulated, Envirovault	Surplus	Immediately
100 BBL	15	Used single wall sweet service	New	Immediately



Line Heaters

Features:

- > c/w expansion tank, 12 removable U-tube fire tube & stack
- > Sweet or sour service process coil
- > Multiple reheat coil configuration: 2500, 1500, 900, 600, 300, 150 ANSI
- > B149.3 compliant BMS
- > Units are insulated with 1-1/2 mineral wool insulation with aluminum outer cladding
- > Instrumentation enclosed in controls box
- > Unit is skid mounted with wide flange skid
- > Heater is packaged in accordance with ASME Section VIII / B31.3
- > Optional choke



TYPE	QTY	DESCRIPTION	CONDITION	DELIVERY
1 MM BTU	1	Sour- 3' 1500# Pass preheat/ 6 Pass preheat	New	5 -6 weeks
1.5 MM BTU	6	Sour- 2500 #, 8 units available	New-Surplus	Immediately
2 MM BTU	3	Sour- 2500 #	New-Surplus	Immediately
0.4 MM BTU	2	Sour- 3 coils ea- 3'x 1500#	New-Surplus	Immediately
2.13 MM BTU	1	Sour-4' 1500# Pass Preat/ 6 1500# Pass Preheat	New-Surplus	Immediately
3 MM BTU	1	5000 psi Split Coil 3' Cushioned Tees	Reconditioned	In Stock
2.5 MM BTU	11	1500/600 ANSI sour	Reconditioned	In Stock



Separator Vessels

Inclusive Energy offers several sizes of vertical and horizontal separators sized from 16" to 72" 720# with 1440# pressures, for use in both sweet or sour applications. We can custom build to suit a wide variety of engineering requirements or we can offer our stock packages to fit any budget and meet your tight deadline. We always have equipment in stock, ready to go when you need it!

Features :

- 16" x 7'6" 1440 PSI <
- 24" x 50' vertical or horizontal 1440 PSI <
- 36" x 50' vertical or horizontal 1440 PSI <
- 48" x 15' horizontal 1440 PSI <
- 60" x 20' horizontal 1440 PSI <
- 8-5/8" O.D X 30' S/S 1440 PSI <



TYPE	PRESSURE	DESCRIPTION	CONDITION	DELIVERY
48'x18'	1440 psi	3 phase, sour, horizontal, full loader, 4 units available	New	In Stock
60'x23'	700 psi	3 phase with water boot, sour, horizontal	New	In Stock
60'x24'	1200 psi	P-Tank, testing equipment, 80% completed	New	In Stock
48'x10'	1440 psi	3 phase sand separator, sour, vertical, 4 units available	New	In Stock
36'x10'	1440 psi	Reconditioned, 3 phase, full sour service package available	New	In Stock
36'x10'	1440 psi	3 phase 6' inlet/outlet, sweet, vertical, sour service	New	In Stock
30'x 10'	1440 psi	3 phase 6' inlet/outlet, sour, horizontal	Used	In Stock
24'x 8'	1440 psi	Alberta sour service, 4 in stock	New	In Stock




Rig Matting

Our inventory includes standard sizes of 8' X 20' and 8' X 40' rig mats. 4' X 20' and 4' X 40' walkways and Interlocking 8' X 16' mats are available upon request.

Inclusive Energy RIG MATS are constructed for long term usage, safety and reliability. Our Rig Mats are built with quality using brand new materials with above industry standards, making them more reliable than any of our major Rig Mat competitors in Alberta.

- > Steel wide flange construction
- > Lifting shackles and reinforced side lifting pockets
- > Customizable options – mouse hole, rate hole, fork deflectors, well V mats, etc.
- > No transport or loading concerns
- > 4 Beam – Heavy Duty Rig Mat / Matting Board
- > 3 Beam – Standard Rig Mat / Matting Board
- > 2 Beam – Camp or Walkway Mat



TYPE	QTY	DESCRIPTION	CONDITION	DELIVERY
Rig Mat	5000	8' x 14' Fir Matting	New	Immediately
Rig Mat	150	8' x 40' - 3 beam construction	New	In Stock
Rig Mat	1500	8' x 14' – Access matting, 8x20 rig matting	Used	In Stock



LPG Bullets

We offer both new and used LPG Bullets. All of our products are registered certified for use in Alberta.



QTY	SIZE	DESCRIPTION	CONDITION	DELIVERY
1	90000 usg	250 PSI REGISTERED FOR BC/AB/SK/MAN/ONT	New	Call for details
1	60000 usg	250 PSI REGISTERED FOR AB- PRICE REDUCED	New	Immediately
1	30000 usg	250 PSI REGISTERED FOR AB/BC	New	Immediately



Pump Jacks

Inclusive Energy has recently acquired a large inventory of surplus and field run pumping units, including models from brands like Lufkin, Legrand, LSI, National, American and more.

These artificial lift systems are available for immediate purchase in *as in* condition or fully rebuilt by our technicians. We can ship these pumpjacks to anywhere in Alberta, Canada or the United States.



TYPE	AVAILABLE MODELS	CONDITION
LUFKIN	C-57D – 42 – 10.5 – 1 Unit, C-80DB-42-10.5 – 1 Unit, C-57D-42-11.6 – 2 Units, Model 57 – 2 Units, C-640D-304-120 – 2 Units, C-80DB-42-11.6 – 1 Unit, M-80D-143-74 – 3 Units, C-80DB-48-10 – 1 Unit, 114-143-64 – 1 Unit, 320-213-120 – 3 Units, 114-143-86 – 2 Units, 228-173-100 – 1 Unit, C-228D-212-86 – 2 Units, C-228D-173-100 – 1 Unit, C-456D-256-120 – 2 Units, 228-200-74 – 1 Unit, 228-213-86 – 2 Units, Model C-320 – 3 Units, C-320D-256-120 – 10 Units, C-320D-256-100 – 1 Unit, C-640D-305-144 – 3 Units	Reconditioned
LEGRAND	640-305-144 – 6 Units, 640-305-168 – 1 Unit, 456-256-120 – 1 Unit, 228-173-100 – 44 Units, 228-213-86 – 4 Units, 114-143-54 – 2 Units, 114-143-64 – 2 Units	Reconditioned
LSI	114-143-64 – 1 Unit, 228-173-100DM – 1 Unit, 228-213-86 – 1 Unit, 228-86-DA – 1 Unit, 228-173-100 – 1 Unit	Reconditioned
UNIVERSAL	160-173-86 – 1 Unit, 228-213-86 – 3 Units	Reconditioned
AMERICAN	228-173-100K – 1 Unit, 320-256-100 – 1 Unit, 456-256-100J – 1 Unit, 456-256-120K – 1 Unit	Reconditioned
NATIONAL	F228-212-100 (1 Unit), F-320D – 1 Unit	Reconditioned
AMPSCOT	D114-143-64 – 1 Unit	Reconditioned
DOMINION BRIDGE	228-213-86C – 1 Unit	Reconditioned




Wellsite Accommodation Office Trailer

We carry all sizes!

Features:

- > Insulated walls, ceilings and floors
- > 1/8" vinyl floor tile
- > .019 deluxe aluminum siding or decorative siding
- > Paneled walls
- > Sliding windows
- > 120V electrical outlet
- > (2) 36" x 80" lockable exterior doors
- > (2) 36" x 80" interior doors
(3 with half bath)
- > Fluorescent lighting
- > 8' ceiling height
- > Central heating & air conditioning
- > Restroom optional



TYPE	QTY	DESCRIPTION	CONDITION	DELIVERY
Office Trailer	20	12' x 60', skid office with two removable partitions	New	Immediately
Office Trailer	4	12' x 60' dry skid office trailer (no bathroom)	Used	In Stock
Office Trailer	1	24' x 60' skidded office trailer	Used	In Stock
Wellsite Shack	2	Doubled ender - Engineer	Used	In Stock



Bankers Hall, West Tower Building
1000, 888 3rd Street SW
Calgary, AB T2P 5C5

RENT TO OWN AND IN-HOUSE FINANCING AVAILABLE.

Calgary Head Office
403.444.6897

Central Alberta
780.712.8881

Inclusivenergy.com
sales@inclusivenergy.com